



NuEthix
FORMULATIONS

11365 SIXTH ST E, TREASURE ISLAND, FL 33706
WWW.NUETHIX.COM



Certificate of Analysis

Client Information

NuEthix Formulations

11365 Sixth St E
Treasure Island, FL 33706
USA

Sample Information

ARL ID: 663376
Date Received: 3/6/2023
Date Tested: 3/15/2023
Description: ProSORB + NuEthix
Lot#: L230106
Expiration Date: 01/2025
Serving Size: 2 g
Amazon COA

Results

| Analysis | Method | †MDL / LOQ | Specification | Results | UOM | Lab ID |
|-----------------------------------|-------------------|------------|---------------|--------------------------|------------|--------|
| <u>Complete Micro Profile, HM</u> | USP, AOAC, ICP-MS | | | | | 1 |
| Total Plate Count | USP <2021> | 100 | Record Only | None Detected | cfu's/g | 1 |
| Coliforms | AOAC 991.14 | 10 | Record Only | None Detected | cfu's/g | 1 |
| E. coli | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Staphylococcus aureus | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Salmonella | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Yeast | USP <2021> | 100 | Record Only | None Detected | cfu's/g | 1 |
| Mold | USP <2021> | 100 | Record Only | None Detected | cfu's/g | 1 |
| <u>Heavy Metals</u> | ARL ICPMS 8.016 | | | | | 1 |
| Arsenic (As) | ARL ICPMS 8.016 | 0.001 | Record Only | 0.014 | ppm | 1 |
| Cadmium (Cd) | ARL ICPMS 8.016 | 0.001 | Record Only | < 0.001 | ppm | 1 |
| Mercury (Hg) | ARL ICPMS 8.016 | 0.001 | Record Only | 0.002 | ppm | 1 |
| Lead (Pb) | ARL ICPMS 8.016 | 0.001 | Record Only | 0.009 | ppm | 1 |
| Magnesium (Mg) | ARL ICPMS 8.016 | 0.001 | Record Only | 131635.11 | ppm | 1 |
| Vitamin C (Ascorbic Acid) | ARL 2.011 | 0.03 | Record Only | 112.61 ^{Note 1} | mg/Serving | 1 |

Notes:

1. ARL vitamin results are reported as the form of the vitamin specified in the parentheses of the analysis name.



Results

| Analysis | Method | †MDL / LOQ | Specification | Results | UOM | Lab ID |
|----------|--------|------------|---------------|---------|-----|--------|
|----------|--------|------------|---------------|---------|-----|--------|

†Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.