



NuEthix

FORMULATIONS

5208 ARBOR KNOLL LN INDEPENDENCE, KY 41051 • WWW.NUETHIX.COM

CERTIFICATE OF ANALYSIS

PRODUCT NAME: THYRO-BOOST PLUS
 PRODUCT CODE: NU230
 MFG. LOT NUMBER: 192432
 PKG. LOT NUMBER: 196501
 BEST BY DATE: 04/2024
 DESCRIPTION: Freeze dried thyroid glandular sourced from New Zealand

CRITICAL CHARACTERISTICS:

Overall Appearance
 Color
 Capsule Description
 Capsule Net Weight
 Disintegration Time

SPECIFICATIONS

Capsule w/ Brown powder fill
 Brown w/specks
 Size "00" vegi
 618 mg - 715 mg
 <45 minutes

RESULTS

Complies
 Complies
 Complies
 654mg
 20 minutes

CHEMICAL ASSAY:

NIR Identification
 Magnesium (as Bisglycinate)
 Vitamin A (as 100% Beta Carotene)
 Riboflavin (B2)
 Calcium (as AAC, Citrate)
 Iodine (from Kelp)
 Zinc (as AAC, Citrate)
 Selenium (as Selenomethionine)
 Manganese (as AAC, Citrate)
 Potassium (as Aspartate)
 Thyroid Freeze Dried
 Adrenal
 Pituitary Whole
 Spleen
 Thymus
 L-Tyrosine
 Irish Moss
 Parsley Leaf
 Horsetail Extract
 Lead
 Arsenic
 Cadmium
 Mercury

SPECIFICATIONS

Conforms to Standard
 11 mg – 20 mg
 600mcg RAE/capsule
 200mcg/capsule
 4mg/capsule
 40mcg/capsule
 1.1mg/capsule
 50mcg/capsule
 1mg/capsule
 0.8mg/capsule
 150mg/capsule
 30mg/capsule
 20mg/capsule
 10mg/capsule
 10mg/capsule
 20mg/capsule
 40mg/capsule
 40mg/capsule
 20mg/capsule
 NMT 10 ppm
 NMT 1 ppm
 NMT 10 ppm
 NMT 10 ppm

RESULTS

96.7%
 11.8mg/capsule
 Pass PBR
 Pass PBR
 Pass PBR
 Pass PBR
 Pass PBR
 Pass PBR
 Pass PBR
 Pass PBR
 Pass PBR
 Pass PBR
 Pass PBR
 Pass PBR
 Pass PBR
 Pass PBR
 Pass PBR
 0.130mcg/serving
 0.832mcg/serving
 0.078mcg/serving
 ND

METHOD

ICP/MS
 ICP/MS
 ICP/MS
 ICP/MS

MICROBIOLOGICAL TESTING:

TPC (cfu/gm)
 Yeast (cfu/gm)
 Mold (cfu/gm)
 Coliform (cfu/gm)
 E. coli
 Salmonella
 S. aureus

SPECIFICATIONS

<10⁷
 <100,000
 <100,000
 <10,000
 Negative
 Negative
 Negative

RESULTS

Pass*
 Pass*
 Pass*
 Pass**
 Pass**
 Pass**
 Pass**

*Validated with methodology and technology to meet AOAC and USP <1223>, <2020>, and <2021> standards.

**Validated with methodology and technology to meet USP <1223>, <2020>, and <2021> standards.

By: Michael Deane

Date: 5/23/23