

NuEthix

CERTIFICATE OF ANALYSIS

Customer Name: NUETHIX FORMULATIONS
Address: 11365 Sixth St E.
Treasure Island, FL 33706

Report Number: 2504091
Report Date: 06/24/2025

Sample Name: **BIOFILM RESOLVE**
GUT REPAIR SUPPORT

Receipt Date: 06/02/2025

Lot Number: 2504091
Serving Size: 2 Capsules

Receipt Condition: Ambient temperature
Date Started: 06/02/2025
Date completed: 06/09/2025

ANALYSIS

Result

Cellulase by Viscometer*

Cellulase

851CU/serving

Hemicellulase by Viscometer*

Hemicellulase

154.88HCU/serving

Quantity by PPCS*

Calcium (from Ethylenediaminetetraacetic Acid (EDTA)
Calcium Disodium)

60mg/serving

Sodium (from Ethylenediaminetetraacetic Acid (EDTA)
Calcium Disodium)

70mg/serving

Nigella (*Nigella sativa*) (seed) Extract

300mg/serving

Sweet Wormwood (*Artemisia annua L.*)(herb)

200mg/serving

Enzyme Blend Complex

190mg/serving

Protease, Hemicellulase, Peptidase, Glucoamylase,
Beta Glucanase, Cellulase, Serratiopeptidase

Thyme (*Thymus vulgaris*) (leaf) Extract

50mg/serving

Cinnamon (*Cinnamomum cassia*) (bark) Extract

50mg/serving

Clove (*Syzygium aromaticum*) (stem)

50mg/serving

Microbiological Contaminants

Total Aerobic Plate Count

500 CFU/g

Total Yeast and Mold

<10 CFU/g

Enterobacteriaceae

<10 CFU/g

Salmonella spp.

Absent

Escherichia Coli

Absent

Staphylococcus aureus

Absent

Pseudomonas aeruginosa

Absent

Heavy Metals*

Mercury (Hg)

0.0027 ppm

Lead (Pb)

0.1130 ppm

Arsenic (As)

0.1250 ppm

Cadmium (Cd)

0.0110 ppm

Method References

Testing Location

Cellulase by Viscometer: BPAP - 439

85 David's Dr, Hauppauge, NY 11788.

Hemicellulase by Viscometer: BPAP - 440

85 David's Dr, Hauppauge, NY 11788.

Quantity by PPCS (Production and Process Control System)

85 David's Dr, Hauppauge, NY 11788.

*This analysis or component is not ISO/IEC 17025:2017-accredited

NuEthix

Heavy Metals: QC-125

85 David's Dr, Hauppauge, NY 11788.

Microbiological Contaminants: BPMP-001 & BPMP-002

7 Oser Avenue, Hauppauge, NY 11788.



Accreditation #: 113875

Test results apply to samples as received within COA only and the report shall not be reproduced except in full without approval of the lab