




**NuEthix**  
FORMULATIONS




PJLA  
ISO/IEC 17025:2017  
Accreditation # 114871



CR QA100.A, Certificate of Analysis Form, Revision 3, Effective Date 08/16/24

**ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS**  
**AMAZON TESTING PROGRAM**


PRODUCT NAME	Chasteberry Double Strength 2 fl oz		
PRODUCT LOT NUMBER	250115		
CUSTOMER AND ADDRESS	NuEthix Formulations 11365 Sixth St E Treasure Island, FL 33706		
SAMPLE DESCRIPTION	Finished Product		
SERVING SIZE	1 mL (1 Dropper)	LAB ID	14355
RECEIVED DATE	01/06/25		



Please note: The testing shown on this report is **FDA** and **DEA** regulated. Legal action will be taken against all companies that modify this report.



**NuEthix**  
FORMULATIONS



**PJLA**  
ISO/IEC 17025:2017  
Accreditation # 114871

CR QA100.A, Certificate of Analysis Form, Revision 3, Effective Date 08/16/24

**ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS**  
**AMAZON TESTING PROGRAM**

<b>PRODUCT NAME</b>	Chasteberry Double Strength 2 fl oz		
<b>PRODUCT LOT NUMBER</b>	250115		
<b>CUSTOMER AND ADDRESS</b>	NuEthix Formulations 11365 Sixth St E Treasure Island, FL 33706		
<b>SAMPLE DESCRIPTION</b>	Finished Product		
<b>SERVING SIZE</b>	1 mL (1 Dropper)	<b>LAB ID</b>	14355
<b>RECEIVED DATE</b>	01/06/25		

<b>TEST</b>	<b>METHOD</b>	<b>RESULT</b>	<b>SPECIFICATION <sup>(1)</sup></b>
Heavy Metals	STP LB705	< 10 mg/mL	NMT 10 mg/mL
Lead (Pb)	STP LB705	0.0022 mg/mL	Report Results
Arsenic (As)	STP LB705	0.0001 mg/mL	Report Results
Mercury (Hg)	STP LB705	0.0160 mg/mL	Report Results
Cadmium (Cd)	STP LB705	0.0001 mg/mL	Report Results
Total Plate Count	USP 43 <61>	<10 CFU/g	NMT 1,000 CFU/g
Total Yeast and Mold	USP 43 <61>	<10 CFU/g	NMT 100 CFU/g
<i>Staphylococcus aureus</i>	USP 43 <62>	Negative	Negative
<i>Escherichia coli</i>	USP 43 <62>	Negative	Negative
<i>Salmonella spp.</i>	USP 43 <62>	Negative	Negative
<i>Enterobacteria</i>	USP 43 <62>	Negative	Negative
<i>BTGN</i>	USP 43 <62>	<1000 CFU/g	<1000 CFU/g

**Please note: The testing shown on this report is FDA and DEA regulated. Legal action will be taken against all companies that modify this report.**



**NuEthix**  
FORMULATIONS



**PJLA**  
ISO/IEC 17025:2017  
Accreditation # 114871

CR QA100.A, Certificate of Analysis Form, Revision 3, Effective Date 08/16/24

**ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS**  
**AMAZON TESTING PROGRAM**

<b>PRODUCT NAME</b>	Chasteberry Double Strength 2 fl oz		
<b>PRODUCT LOT NUMBER</b>	250115		
<b>CUSTOMER AND ADDRESS</b>	NuEthix Formulations 11365 Sixth St E Treasure Island, FL 33706		
<b>SAMPLE DESCRIPTION</b>	Finished Product		
<b>SERVING SIZE</b>	1 mL (1 Dropper)	<b>LAB ID</b>	14355
<b>RECEIVED DATE</b>	01/06/25		
<b>TEST</b>	<b>METHOD</b>	<b>RESULT</b>	<b>SPECIFICATION <sup>(1)</sup></b>
Chasteberry Extract ( <i>Vitex agnus-castus</i> )	Identification via HPTLC	Present	100% Confirmed Label Claim 50 mg/serving

*The results displayed on this report are representative of the samples received for testing and may not indicate the entire manufacturing batch or lot. All testing is performed under strict GLP to ensure accuracy. This report is intended to be submitted to the client addressed above and may not be reproduced or used in any advertising or sale of any product or process without written authorization. Delta Labs of South Florida is a Perry Johnson ISO 17025:2017 accredited testing laboratory. All ISO 17025 requirements and practices were followed during the testing, reporting and processing of the aforementioned product. The scope of accreditation can be found in the PJLA websites.*

(1) Provided by Customer

**Please note: The testing shown on this report is FDA and DEA regulated. Legal action will be taken against all companies that modify this report.**