

CR QA100.A, Certificate of Analysis Form, Revision 3, Effective Date 08/16/24

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS
AMAZON TESTING PROGRAM

PRODUCT NAME	Chasteberry		
PRODUCT LOT NUMBER	L241017		
CUSTOMER AND ADDRESS	NuEthix Formulations 11365 Sixth St. E Treasure Island, FL 33706		
SAMPLE DESCRIPTION	Finished Product		
SERVING SIZE	1 mL	LAB ID	13862
RECEIVED DATE	12/02/24		



CR QA100.A, Certificate of Analysis Form, Revision 3, Effective Date 08/16/24

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS
AMAZON TESTING PROGRAM

PRODUCT NAME	Chasteberry		
PRODUCT LOT NUMBER	L241017		
CUSTOMER AND ADDRESS	NuEthix Formulations 11365 Sixth St. E Treasure Island, FL 33706		
SAMPLE DESCRIPTION	Finished Product		
SERVING SIZE	1 mL	LAB ID	13862
RECEIVED DATE	12/02/24		
TEST	METHOD	RESULT	SPECIFICATION ⁽¹⁾
Heavy Metals	STP LB705	<10 ppm	NMT 10 ppm
Lead (Pb)		0.0010 mg/serving	Report Results mg/serving
Arsenic (As)		0.0010 mg/serving	Report Results mg/serving
Mercury (Hg)		0.0190 mg/serving	Report Results mg/serving
Cadmium (Cd)		0.0010 mg/serving	Report Results mg/serving
Total Aerobic Count	USP 43 <2021> USP 43 <2022>	<10 CFU/g	NMT 10,000 CFU/g
Total Yeast and Mold		<10 CFU/g	NMT 1,000 CFU/g
<i>Escherichia coli</i>		Absent	Absent
<i>Salmonella spp.</i>		Absent	Absent
<i>Staphylococcus aureus</i>		Absent	Absent

CR QA100.A, Certificate of Analysis Form, Revision 3, Effective Date 08/16/24

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS
AMAZON TESTING PROGRAM

PRODUCT NAME	Chasteberry		
PRODUCT LOT NUMBER	L241017		
CUSTOMER AND ADDRESS	NuEthix Formulations 11365 Sixth St. E Treasure Island, FL 33706		
SAMPLE DESCRIPTION	Finished Product		
SERVING SIZE	1 mL	LAB ID	13862
RECEIVED DATE	12/02/24		
TEST	METHOD	RESULT	SPECIFICATION ⁽¹⁾
Chasteberry Identification (ID)	Identification via HPTLC	Present	Present/Absent

The results displayed on this report are representative of the samples received for testing and may not indicate the entire manufacturing batch or lot. All testing is performed under strict GLP to ensure accuracy. This report is intended to be submitted to the client addressed above and may not be reproduced or used in any advertising or sale of any product or process without written authorization. Delta Labs of South Florida is a Perry Johnson ISO 17025:2017 accredited testing laboratory. All ISO 17025 requirements and practices were followed during the testing, reporting and processing of the aforementioned product. The scope of accreditation can be found in the PJLA websites.

(1) Provided by Customer