



Certificate of Analysis

PRODUCT INFORMATION		
COMPANY NAME	PRODUCT NAME	BOM-REV
NuEthix LLC	EXL Gut Defender (V00E) (180 CAP)	25222-03

Lot # 25090915

PRODUCT COMPOSITION		
INGREDIENT	PERCENTAGE (%)	MG / SERVING
Olive Leaf	19.06%	300.00
Magnesium Caprylate (7% Magnesium)	18.51%	291.43
Glycerol Monolaurate	14.40%	226.67
French Tarragon	12.70%	200.00
Microcrystalline Cellulose	8.45%	133.00
Thyme Leaf Powder	6.35%	100.00
Artichoke Extract	6.35%	100.00
Milk Thistle	6.35%	100.00
Magnesium Stearate	4.64%	73.00
Silicon Dioxide	1.71%	27.00
Calcium Silicate	1.00%	15.80
Beta Carotene (10%)	0.22%	3.53
Molybdenum AAC (2% Molybdenum)	0.17%	2.63
Vitamin A (Palmitate) (250,000 IU/g)	0.08%	1.33
TOTAL	100.00%	1574.38

NOTE: This certificate states the target mg/serving and % of all raw ingredients included in the above-specific product.

Vitamin/Mineral Amount*
MG / Serving

176.50 mcg RAE Vitamin A
52.600 mcg Molybdenum
99.75 mcg RAE Vitamin A

QUALITY CONTROL RECORD			
CREATED BY	Digitally signed by Lisa Ortega Date: 2025.11.14 14:36:59 -07'00'	QC APPROVAL	Digitally signed by Katherine Gallego Date: 2025.11.14 14:53:11 -07'00'
DATE	11/14/25	DATE	11/14/25

FORM-022 REV 02

*Vitamin/Mineral amount
calculated by:
(Vitamin/Mineral percentage) x
(Ingredient (mg/serving)/100)



Report Number: 251015 019-09
Date Reported: 10/21/2025
Date(s) Tested: 10/15/2025 - 10/21/2025

Sample Details

Product #: EXL Gut Defender (V00E)(180 CAP)
Description: EXL Gut Defender (V00E)(180 CAP)
Lot #: 25090915
Received: 10/15/2025 12:03:26 PM

Customer Information

NuEthix
Treasure Island, FL 33706
NuEthix.com | 1-844-683-8449

Sample Details:

Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
Heavy Metals				
Arsenic	USP <2232>	< 10	0.090	mcg/1507.6630m g
Cadmium	USP <2232>	< 4.1	0.034	mcg/1507.6630m g
Lead	USP <2232>	< 0.5	0.156	mcg/1507.6630m g
Mercury	USP <2232>	< 0.3	< 0.001	mcg/1507.6630m g
Physical				
Serving Size	SNL.MA.210		1507.663	mg

Microbiology	Method	Specifications	Result	Units
Total Plate Count	AOAC 2015.13 Petrifilm	< 1.00E+07	<1000	cfu/g
Total Coliform	AOAC 2018.13 Petrifilm	< 10000	<1000	cfu/g
E.coli	PCR	None Detected	None Detected	cfu/10g
Salmonella spp.	PCR	None Detected	None Detected	cfu/10g
Staphylococcus aureus	PCR	None Detected	None Detected	cfu/10g
Yeasts & Molds	AOAC 2014.05 Petrifilm	< 100000	<1000	cfu/g

Report Approved by:

*= Please review Client Specifications

¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.