

NuEthix

Product:	EXR WPI NUETHIX VAN 14SRV	Item #	5000252
Flavor:	Vanilla	Customer SKU:	TLC-NU032
Author:		Report Date:	7/16/25; 7/22/25
Lot Code:	202501239	Expiration Date:	Jul-27
Report #/Sample ID#	BP-250714-051; BP-250714-050; ar-25-qp-068220-01		
		Version #	1.0

I. Organoleptic:

Test	Method *or equivalent	Specification	Result	Pass or Fail
Appearance	Visual	Conforms to Standard	Conforms	Pass
Organoleptic	Organoleptic	Conforms to Standard	Conforms	Pass
Moisture	Moisture Balance	<7%	2.97%	Pass

II. Microbiology:

TPC	AOAC*	<10,000 CFU/g	145 cfu/g	Pass
Yeast & Molds	AOAC*	<300 CFU/g	<10 cfu/g	Pass
Staphylococcus aureus	AOAC*	Negative @ 25g	<10 cfu/g	Pass
Salmonella	AOAC*	Negative @ 10g	Negative	Pass
Coliform	AOAC*	<100 CFU/g	<10 cfu/g	Pass
E. coli	AOAC*	Negative @ 10g	<10 cfu/g	Pass

III. Heavy Metals:

Arsenic	USP <233>*	<10 ppm	<0.01 ppm	Pass
Mercury	USP <233>*	<2 ppm	<0.005 ppn	Pass
Lead	USP <233>*	<10 ppm	<0.005 ppn	Pass
Cadmium	USP <233>*	<4.1 ppm	<0.005 ppn	Pass

IV. Assay: **2 active will be tested on a rotational basis per lot

Protein	Kheldahl or Equivalent	≥23g	23.8g	Pass

V. Non-Standard Testing

Gluten	AOAC 051101	<20ppm	<5 ppm	Pass
--------	-------------	--------	--------	------