



# NuEthix

FORMULATIONS

## CERTIFICATE OF ANALYSIS

Customer Name:	Report Number:	<b>2411059</b>
Address:	Report Date:	<b>01/06/2025</b>
Sample Name: <b>THYRO-BOOST ESSENTIALS</b>	Receipt Date:	<b>12/23/2024</b>
Lot Number: <b>2411059</b>	Receipt Condition:	<b>Ambient temperature</b>
Serving Size: <b>1 Capsule</b>	Date Started:	<b>12/23/2024</b>
	Date completed:	<b>12/30/2024</b>

<b>ANALYSIS</b>	<b>Result</b>
<b>Vitamins by HPLC*</b>	
Vitamin A (as Retinyl Palmitate)	467.78mcg/serving
<b>Elements by ICP-OES*</b>	
Magnesium (from Magnesium Ascorbate)	14.69mg/serving
Zinc (as Zinc Bisglycinate Chelate)	5.51mg/serving
<b>Determination by Titrimetry*</b>	
Vitamin C (from Magnesium Ascorbate)	119.21mg/serving
<b>Quantity by PPCS*</b>	
Riboflavin	6mg/serving
Vitamin B6 (as Pyridoxine HCl)	12mg/serving
Vitamin D (as Cholecalciferol)	12mcg/serving
Vitamin E (as D-Alpha Tocopheryl Succinate)	2.6mg/serving
Niacin (as Niacinamide)	12mg/serving
Iodine (as Potassium Iodide)	90mcg/serving
Selenium (as L-Selenomethionine)	55mcg/serving
L-Tyrosine	210mg/serving
Rhodiola Root Extract	139.65mg/serving
Mixed Tocopherols	47.25mg/serving
<b>Microbiological Contaminants</b>	
Total Aerobic Plate Count	200 CFU/g
Total Yeast and Mold	<10 CFU/g
Enterobacteriaceae	<10 CFU/g
Salmonella spp.	Absent
Escherichia Coli	Absent
Staphylococcus aureus	Absent
Pseudomonas aeruginosa	Absent
<b>Method References</b>	<b>Testing Location</b>
<b>VitaminA by HPLC</b> : BPAP- 291	85 David's Dr, Hauppauge, NY 11788.
<b>Elements by ICP-OES</b> : BPAP- 115	85 David's Dr, Hauppauge, NY 11788.
<b>Determination of Vitamin C by Titrimetry</b> : BPAP-005	85 David's Dr, Hauppauge, NY 11788.
<b>Quantity by PPCS</b> (Production and Process Control System)	85 David's Dr, Hauppauge, NY 11788.
<b>Microbiological Contaminants</b> : BPMP-001 & BPMP-002	7 Oser Avenue, Hauppauge, NY 11788.

\*This analysis or component is not ISO/IEC 17025:2017-accredited



# NuEthix

FORMULATIONS

---



Accreditation #: 113875

Test results apply to samples as received within COA only and the report shall not be reproduced except in full without approval of the lab