

NuEthix

CERTIFICATE OF ANALYSIS

Customer Name: NUETHIX FORMULATIONS
Address: 11365 Sixth St E.
Treasure Island, FL 33706

Report Number: **2504199**
Report Date: **07/11/2025**

Sample Name: **THYRO-BOOST ESSENTIALS**
Lot Number: **2504199**
Serving Size: **1 Capsule**

Receipt Date: **07/03/2025**
Receipt Condition: **Ambient temperature**
Date Started: **07/03/2025**
Date completed: **07/09/2025**

ANALYSIS

Result

Vitamins by HPLC*

Riboflavin 6.097mg/serving
Vitamin B6 (as Pyridoxine HCl) 12.94mg/serving

Elements by ICP-MS*

Iodine (as Potassium Iodide) 134mg/serving †

Tocopherols by HPLC*

Mixed Tocopherols 54.47mg/serving

Quantity by PPCS*

Vitamin A (as Retinyl Palmitate) 450mcg/serving
Vitamin C (from Magnesium Ascorbate) 110mg/serving
Vitamin D (as Cholecalciferol) 12mcg/serving
Vitamin E (as D-Alpha Tocopheryl Succinate) 2.6mg/serving
Niacin (as Niacinamide) 12mg/serving
Magnesium (from Magnesium Ascorbate) 13mg/serving
Zinc (as Zinc Bisglycinate Chelate) 5.5mg/serving
Selenium (as L-Selenomethionine) 55mcg/serving
L-Tyrosine 210mg/serving
Rhodiola Root Extract 139.65mg/serving

Microbiological Contaminants

Total Aerobic Plate Count 200 CFU/g
Total Yeast and Mold <10 CFU/g
Enterobacteriaceae <10 CFU/g
Salmonella spp. Absent
Escherichia Coli Absent
Staphylococcus aureus Absent
Pseudomonas aeruginosa Absent

Heavy Metals*

Mercury (Hg) <0.001ppm
Lead (Pb) 0.1080ppm
Arsenic (As) 0.0611ppm
Cadmium (Cd) 0.0128ppm

*This analysis or component is not ISO/IEC 17025:2017-accredited
†Third Party Test Result.

NuEthix

Method References

Vitamins by HPLC : BPAP – B Vitamins

Elements by ICP-MS : SAM 04013 (ICP-MS)

Tocopherols by HPLC: BPAP - 031

Quantity by PPCS (Production and Process Control System)

Microbiological Contaminants: BPMP-001 & BPMP-002

Heavy Metals: QC - 125

Testing Location

85 David's Dr, Hauppauge, NY 11788.

Intertek Champaign Laboratories, 711
Parkland Ct. Champaign, IL 61821.

85 David's Dr, Hauppauge, NY 11788.

85 David's Dr, Hauppauge, NY 11788.

7 Oser Avenue, Hauppauge, NY 11788.

85 David's Dr, Hauppauge, NY 11788.



Accreditation #: 113875

Test results apply to samples as received within COA only and the report shall not be reproduced except in full without approval of the lab

*This analysis or component is not ISO/IEC 17025:2017-accredited
†Third Party Test Result.